



**2<sup>nd</sup> INTERVIEW MERIT LIST**  
**REGULAR SEATS**

**DOCTOR OF PHARMACY (SESSION: Jan 2025 – Dec 2029)**

<b>Regular Seats</b>				
<b>Merit #</b>	<b>Roll No.</b>	<b>F.Sc./A Levels (50%)</b>	<b>Entry Test (50%)</b>	<b>Aggregate Score</b>
201	3010269	42.9	28.5	71.36
202	3010161	40.4	31.0	71.36
203	3010169	35.7	35.5	71.18
204	3010080	38.9	32.3	71.11
205	6010016	45.0	26.0	71.04
206	3010414	32.0	39.0	71.00
207	3010386	40.9	30.0	70.92
208	3010020	42.7	28.0	70.68
209	3010170	42.6	28.0	70.64
210	6010003	44.1	26.5	70.59
211	3010257	36.3	34.3	70.58
212	3010065	42.8	27.7	70.48
213	3010055	40.5	30.0	70.45
214	3010143	40.4	30.0	70.41
215	3010279	43.4	27.0	70.36
216	3010240	40.9	29.5	70.36
217	3010352	42.6	27.7	70.30
218	3010117	41.8	28.5	70.27
219	3010338	40.2	30.0	70.23
220	3010152	41.6	28.5	70.14
221	3010312	39.3	30.5	69.82
222	3010424	43.3	26.5	69.77
223	3010370	43.4	26.0	69.38
224	3010001	40.9	28.5	69.36

225	3010416	<b>39.5</b>	<b>29.8</b>	<b>69.25</b>
226	3010297	<b>39.5</b>	<b>29.7</b>	<b>69.21</b>
227	3010228	<b>31.4</b>	<b>37.7</b>	<b>69.03</b>
228	3010363	<b>41.0</b>	<b>28.0</b>	<b>69.00</b>
229	3010287	<b>42.5</b>	<b>26.5</b>	<b>69.00</b>
230	3010177	<b>38.0</b>	<b>31.0</b>	<b>68.95</b>
231	3010377	<b>37.6</b>	<b>31.3</b>	<b>68.83</b>
232	3010296	<b>42.5</b>	<b>26.3</b>	<b>68.80</b>
233	3010301	<b>38.8</b>	<b>30.0</b>	<b>68.77</b>
234	3010241	<b>40.5</b>	<b>28.0</b>	<b>68.55</b>
235	3910011	<b>39.5</b>	<b>29.0</b>	<b>68.50</b>
236	3010157	<b>41.0</b>	<b>27.5</b>	<b>68.45</b>
237	3010275	<b>41.0</b>	<b>27.5</b>	<b>68.45</b>
238	3010429	<b>39.9</b>	<b>28.5</b>	<b>68.41</b>
239	3010059	<b>39.3</b>	<b>29.0</b>	<b>68.33</b>
240	3010004	<b>40.2</b>	<b>28.0</b>	<b>68.23</b>
241	3010038	<b>38.7</b>	<b>29.5</b>	<b>68.18</b>
242	3010325	<b>46.0</b>	<b>22.0</b>	<b>68.00</b>
243	3010320	<b>40.3</b>	<b>27.7</b>	<b>67.98</b>
244	3010153	<b>37.7</b>	<b>30.0</b>	<b>67.73</b>
245	3010232	<b>34.9</b>	<b>32.8</b>	<b>67.66</b>
246	3010089	<b>45.6</b>	<b>22.0</b>	<b>67.64</b>
247	3010334	<b>38.0</b>	<b>29.5</b>	<b>67.45</b>
248	3010183	<b>40.8</b>	<b>26.7</b>	<b>67.44</b>
249	3010140	<b>39.9</b>	<b>27.5</b>	<b>67.42</b>
250	3010331	<b>42.4</b>	<b>25.0</b>	<b>67.41</b>
251	3010359	<b>36.4</b>	<b>31.0</b>	<b>67.36</b>
252	3010379	<b>38.9</b>	<b>28.5</b>	<b>67.36</b>
253	3010245	<b>39.3</b>	<b>28.0</b>	<b>67.27</b>
254	3010300	<b>38.1</b>	<b>29.0</b>	<b>67.14</b>
255	3010118	<b>36.8</b>	<b>30.3</b>	<b>67.07</b>
256	3010360	<b>42.3</b>	<b>24.8</b>	<b>67.04</b>
257	3010207	<b>37.4</b>	<b>29.7</b>	<b>67.03</b>
258	3010341	<b>38.5</b>	<b>28.5</b>	<b>67.00</b>
259	3010005	<b>40.6</b>	<b>26.3</b>	<b>66.92</b>

260	6010017	<b>41.7</b>	<b>25.0</b>	<b>66.73</b>
261	3010368	<b>43.2</b>	<b>23.5</b>	<b>66.73</b>
262	3010098	<b>39.6</b>	<b>27.0</b>	<b>66.59</b>
263	3010248	<b>36.1</b>	<b>30.5</b>	<b>66.58</b>
264	3010259	<b>40.8</b>	<b>25.8</b>	<b>66.57</b>
265	3010412	<b>33.3</b>	<b>33.3</b>	<b>66.50</b>
266	3010381	<b>36.4</b>	<b>30.0</b>	<b>66.42</b>
267	3010083	<b>40.9</b>	<b>25.5</b>	<b>66.41</b>
268	3010002	<b>45.4</b>	<b>21.0</b>	<b>66.41</b>
269	6010028	<b>40.3</b>	<b>26.0</b>	<b>66.29</b>
270	3010391	<b>37.5</b>	<b>28.7</b>	<b>66.21</b>
271	3010036	<b>39.2</b>	<b>27.0</b>	<b>66.18</b>
272	3010112	<b>37.1</b>	<b>29.0</b>	<b>66.14</b>
273	3010407	<b>38.0</b>	<b>28.0</b>	<b>65.95</b>
274	3010210	<b>37.8</b>	<b>27.8</b>	<b>65.52</b>
275	3010094	<b>39.3</b>	<b>26.3</b>	<b>65.50</b>
276	3010397	<b>35.0</b>	<b>30.5</b>	<b>65.46</b>
277	3010190	<b>43.4</b>	<b>22.0</b>	<b>65.36</b>
278	3010164	<b>38.9</b>	<b>26.5</b>	<b>65.36</b>
279	3010314	<b>36.4</b>	<b>29.0</b>	<b>65.36</b>
280	3010247	<b>39.8</b>	<b>25.5</b>	<b>65.29</b>
281	6010019	<b>38.0</b>	<b>27.3</b>	<b>65.25</b>
282	3010160	<b>40.0</b>	<b>25.3</b>	<b>65.25</b>
283	3010197	<b>42.6</b>	<b>22.5</b>	<b>65.14</b>
284	3010188	<b>37.7</b>	<b>27.3</b>	<b>64.98</b>
285	3910006	<b>35.0</b>	<b>30.0</b>	<b>64.96</b>
286	3010198	<b>39.0</b>	<b>26.0</b>	<b>64.95</b>
287	3010337	<b>40.5</b>	<b>24.5</b>	<b>64.95</b>
288	3010406	<b>30.1</b>	<b>34.5</b>	<b>64.63</b>
289	3010081	<b>35.0</b>	<b>29.5</b>	<b>64.50</b>
290	3010204	<b>41.5</b>	<b>23.0</b>	<b>64.50</b>
291	3010194	<b>39.0</b>	<b>25.5</b>	<b>64.50</b>
292	3010409	<b>43.4</b>	<b>21.0</b>	<b>64.41</b>
293	3010277	<b>40.4</b>	<b>24.0</b>	<b>64.41</b>
294	3010074	<b>41.1</b>	<b>23.3</b>	<b>64.39</b>

295	3010435	<b>38.3</b>	<b>26.0</b>	<b>64.32</b>
296	3010054	<b>36.7</b>	<b>27.5</b>	<b>64.23</b>
297	3010026	<b>39.7</b>	<b>24.5</b>	<b>64.21</b>
298	3010086	<b>35.6</b>	<b>28.5</b>	<b>64.13</b>
299	3010354	<b>38.9</b>	<b>25.3</b>	<b>64.11</b>
<b>Waiting List</b>				
300	3010307	<b>41.0</b>	<b>23.0</b>	<b>64.05</b>
301	3910009	<b>33.0</b>	<b>31.0</b>	<b>64.00</b>
302	3010230	<b>38.5</b>	<b>25.5</b>	<b>64.00</b>
303	3010010	<b>42.2</b>	<b>21.5</b>	<b>63.73</b>
304	3010302	<b>37.8</b>	<b>25.8</b>	<b>63.58</b>
305	3010034	<b>35.5</b>	<b>27.8</b>	<b>63.29</b>
306	3010136	<b>38.8</b>	<b>24.5</b>	<b>63.27</b>
307	3010127	<b>36.2</b>	<b>27.0</b>	<b>63.23</b>
308	3010255	<b>39.1</b>	<b>24.0</b>	<b>63.09</b>
309	3010289	<b>41.6</b>	<b>21.5</b>	<b>63.09</b>
310	3010057	<b>40.5</b>	<b>22.5</b>	<b>63.05</b>
311	3910021	<b>37.5</b>	<b>25.5</b>	<b>62.96</b>
312	3010064	<b>35.5</b>	<b>27.5</b>	<b>62.95</b>
313	3010173	<b>36.5</b>	<b>26.2</b>	<b>62.70</b>
314	3010085	<b>43.2</b>	<b>19.5</b>	<b>62.67</b>
315	3910003	<b>37.0</b>	<b>25.5</b>	<b>62.55</b>
316	3010122	<b>34.2</b>	<b>28.3</b>	<b>62.52</b>
317	3010196	<b>39.0</b>	<b>23.5</b>	<b>62.50</b>
318	3010234	<b>41.0</b>	<b>21.5</b>	<b>62.45</b>
319	3010311	<b>38.5</b>	<b>24.0</b>	<b>62.45</b>
320	3010290	<b>32.5</b>	<b>30.0</b>	<b>62.45</b>
321	1002	<b>41.4</b>	<b>21.0</b>	<b>62.41</b>
322	3010239	<b>35.8</b>	<b>26.5</b>	<b>62.27</b>
323	3010350	<b>35.3</b>	<b>27.0</b>	<b>62.27</b>
324	6010013	<b>37.6</b>	<b>24.5</b>	<b>62.13</b>
325	3010037	<b>36.9</b>	<b>25.0</b>	<b>61.86</b>
326	3010427	<b>35.3</b>	<b>26.5</b>	<b>61.75</b>
327	3010012	<b>38.2</b>	<b>23.5</b>	<b>61.73</b>
328	3010135	<b>33.9</b>	<b>27.8</b>	<b>61.67</b>

329	3010095	<b>37.6</b>	<b>24.0</b>	<b>61.59</b>
330	3010045	<b>37.5</b>	<b>24.0</b>	<b>61.54</b>
331	3010293	<b>38.0</b>	<b>23.5</b>	<b>61.45</b>
332	3010417	<b>41.9</b>	<b>19.5</b>	<b>61.41</b>
333	3010425	<b>39.8</b>	<b>21.5</b>	<b>61.32</b>
334	3010104	<b>42.3</b>	<b>19.0</b>	<b>61.32</b>
335	3010329	<b>35.2</b>	<b>26.0</b>	<b>61.18</b>
336	3010267	<b>36.5</b>	<b>24.5</b>	<b>61.05</b>
337	3010189	<b>37.4</b>	<b>23.5</b>	<b>60.92</b>
338	1004	<b>35.9</b>	<b>25.0</b>	<b>60.91</b>
339	3010324	<b>38.2</b>	<b>22.5</b>	<b>60.68</b>
340	3010168	<b>33.1</b>	<b>27.5</b>	<b>60.64</b>
341	3010130	<b>38.6</b>	<b>22.0</b>	<b>60.63</b>
342	6010022	<b>40.5</b>	<b>20.0</b>	<b>60.55</b>
343	3010280	<b>38.0</b>	<b>22.5</b>	<b>60.55</b>
344	3010144	<b>37.5</b>	<b>23.0</b>	<b>60.50</b>
345	1005	<b>43.9</b>	<b>16.5</b>	<b>60.41</b>
346	3010100	<b>34.2</b>	<b>26.0</b>	<b>60.18</b>
347	3010056	<b>32.7</b>	<b>27.5</b>	<b>60.17</b>
348	3010351	<b>34.0</b>	<b>26.0</b>	<b>60.04</b>
349	3010411	<b>33.4</b>	<b>26.7</b>	<b>60.03</b>
350	3010316	<b>40.0</b>	<b>20.0</b>	<b>60.00</b>
351	3010273	<b>41.4</b>	<b>18.5</b>	<b>59.88</b>
352	3010306	<b>37.7</b>	<b>22.0</b>	<b>59.73</b>
353	3010110	<b>33.1</b>	<b>26.5</b>	<b>59.59</b>
354	3010082	<b>34.3</b>	<b>25.0</b>	<b>59.32</b>
355	3010202	<b>35.2</b>	<b>24.0</b>	<b>59.23</b>
356	3010132	<b>32.2</b>	<b>27.0</b>	<b>59.18</b>
357	6010025	<b>41.1</b>	<b>18.0</b>	<b>59.09</b>
358	3010129	<b>36.5</b>	<b>22.5</b>	<b>59.05</b>
359	3010374	<b>32.0</b>	<b>27.0</b>	<b>59.00</b>
360	3010052	<b>36.8</b>	<b>22.0</b>	<b>58.82</b>
361	3010033	<b>37.3</b>	<b>21.5</b>	<b>58.77</b>
362	3010344	<b>41.2</b>	<b>17.5</b>	<b>58.73</b>
363	3010049	<b>32.5</b>	<b>26.0</b>	<b>58.50</b>

364	3010103	<b>36.5</b>	<b>22.0</b>	<b>58.45</b>
365	3010220	<b>35.1</b>	<b>23.0</b>	<b>58.14</b>
366	3010092	<b>40.1</b>	<b>18.0</b>	<b>58.08</b>
367	3010433	<b>40.1</b>	<b>17.5</b>	<b>57.64</b>
368	1007	<b>36.6</b>	<b>21.0</b>	<b>57.64</b>
369	3010128	<b>33.5</b>	<b>24.0</b>	<b>57.50</b>
370	3010299	<b>38.8</b>	<b>18.5</b>	<b>57.33</b>
371	3010013	<b>36.8</b>	<b>20.5</b>	<b>57.29</b>
372	3010214	<b>34.7</b>	<b>22.5</b>	<b>57.23</b>
373	3010008	<b>40.1</b>	<b>17.0</b>	<b>57.13</b>
374	3010380	<b>37.5</b>	<b>19.5</b>	<b>56.96</b>
375	3010371	<b>34.8</b>	<b>22.0</b>	<b>56.82</b>
376	3010060	<b>34.5</b>	<b>22.0</b>	<b>56.55</b>
377	3010114	<b>35.5</b>	<b>21.0</b>	<b>56.55</b>
378	3010387	<b>38.5</b>	<b>18.0</b>	<b>56.54</b>
379	3010009	<b>32.0</b>	<b>24.5</b>	<b>56.50</b>
380	3010015	<b>37.5</b>	<b>19.0</b>	<b>56.46</b>
381	3010106	<b>36.9</b>	<b>19.5</b>	<b>56.36</b>
382	3010400	<b>35.0</b>	<b>21.3</b>	<b>56.30</b>
383	3010218	<b>32.1</b>	<b>24.0</b>	<b>56.08</b>
384	3010091	<b>36.0</b>	<b>20.0</b>	<b>56.00</b>
385	3010253	<b>38.8</b>	<b>17.0</b>	<b>55.75</b>
386	3010063	<b>37.7</b>	<b>18.0</b>	<b>55.73</b>
387	3910016	<b>32.2</b>	<b>23.5</b>	<b>55.71</b>
388	3010339	<b>33.1</b>	<b>22.5</b>	<b>55.63</b>
389	3010330	<b>36.5</b>	<b>19.0</b>	<b>55.50</b>
390	3010151	<b>35.9</b>	<b>19.5</b>	<b>55.42</b>
391	3010268	<b>33.4</b>	<b>22.0</b>	<b>55.41</b>
392	3010021	<b>33.3</b>	<b>22.0</b>	<b>55.27</b>
393	6010029	<b>39.3</b>	<b>15.5</b>	<b>54.83</b>
394	3010200	<b>33.7</b>	<b>21.0</b>	<b>54.73</b>
395	3010437	<b>36.7</b>	<b>18.0</b>	<b>54.71</b>
396	3010265	<b>35.6</b>	<b>19.0</b>	<b>54.59</b>
397	3010305	<b>37.5</b>	<b>17.0</b>	<b>54.45</b>
398	3010029	<b>37.4</b>	<b>17.0</b>	<b>54.36</b>

399	3010145	<b>31.8</b>	<b>22.5</b>	<b>54.27</b>
400	3010390	<b>32.2</b>	<b>22.0</b>	<b>54.21</b>
401	6010015	<b>42.2</b>	<b>12.0</b>	<b>54.17</b>
402	3010172	<b>31.0</b>	<b>23.0</b>	<b>54.00</b>
403	1006	<b>28.0</b>	<b>26.0</b>	<b>53.95</b>
404	3010405	<b>30.9</b>	<b>23.0</b>	<b>53.91</b>
405	3010071	<b>31.4</b>	<b>22.5</b>	<b>53.86</b>
406	3010093	<b>35.3</b>	<b>18.5</b>	<b>53.77</b>
407	1001	<b>35.2</b>	<b>18.5</b>	<b>53.73</b>
408	3010123	<b>35.2</b>	<b>18.5</b>	<b>53.67</b>
409	3010022	<b>38.6</b>	<b>15.0</b>	<b>53.63</b>
410	3010346	<b>37.6</b>	<b>16.0</b>	<b>53.59</b>
411	3010364	<b>30.8</b>	<b>22.5</b>	<b>53.32</b>
412	3010308	<b>30.1</b>	<b>23.0</b>	<b>53.09</b>
413	3010187	<b>35.0</b>	<b>18.0</b>	<b>53.00</b>
414	3010369	<b>33.3</b>	<b>19.5</b>	<b>52.77</b>
415	3010077	<b>27.5</b>	<b>25.0</b>	<b>52.50</b>
416	3010042	<b>33.4</b>	<b>18.5</b>	<b>51.86</b>
417	3010367	<b>37.2</b>	<b>14.3</b>	<b>51.46</b>
418	3010213	<b>32.4</b>	<b>18.5</b>	<b>50.91</b>
419	3010376	<b>30.2</b>	<b>20.5</b>	<b>50.73</b>
420	3010053	<b>34.2</b>	<b>16.3</b>	<b>50.43</b>
421	3010246	<b>35.4</b>	<b>15.0</b>	<b>50.36</b>
422	3010097	<b>31.1</b>	<b>19.0</b>	<b>50.09</b>
423	3010403	<b>31.0</b>	<b>19.0</b>	<b>50.00</b>
424	3010328	<b>26.9</b>	<b>23.0</b>	<b>49.91</b>
425	3010398	<b>33.3</b>	<b>16.5</b>	<b>49.77</b>
426	6010027	<b>38.2</b>	<b>11.5</b>	<b>49.68</b>
427	3010116	<b>30.4</b>	<b>19.0</b>	<b>49.36</b>
428	3010430	<b>32.4</b>	<b>16.5</b>	<b>48.91</b>
429	3010393	<b>31.9</b>	<b>17.0</b>	<b>48.86</b>
430	3010147	<b>32.0</b>	<b>15.5</b>	<b>47.55</b>
431	3010156	<b>33.5</b>	<b>14.0</b>	<b>47.50</b>
432	3010178	<b>30.5</b>	<b>16.5</b>	<b>47.00</b>
433	3010142	<b>30.6</b>	<b>16.0</b>	<b>46.64</b>

434	3010242	30.5	16.0	46.45
435	6010006	35.6	10.0	45.63
436	3010422	22.7	22.3	44.98
437	3010011	28.0	13.5	41.55
<b>02 x Reserved seats: <u>Nominees of the proprietors, partners and directors of Pharmaceutical Industry</u></b>				
01	3010361	42.2	28.5	70.73

### **GENERAL INSTRUCTIONS:**

1. Interviews against regular seats shall be held on **Thursday 02<sup>nd</sup> January, 2025** for Merit No. 200 to 299 (GREEN COLOUR IN THE LIST ABOVE).
2. Interviews against industrial Seat shall be held on **Thursday 02<sup>nd</sup> January, 2025** for Merit No. 01 (BLUE COLOUR)
3. Reporting time for interviews is **8:00 am sharp** at **Shifa College of Pharmaceutical Sciences, 72-Jaffer Khan Jamali Road, Sector H-8/4, Islamabad.**
4. Bring all your **original academic documents** (for verification purposes only). This includes Matric/O levels, F.Sc/A levels, equivalence documents (if any), MDCAT / any other test result scores, domicile/Birth certificate etc.
5. A briefing for the purpose of **Interview sessions** shall be carried out to give general guidance for appearance in the interviews.
6. Any discrepancy found in the data provided by the candidate against the original document shall result in **ineligibility from securing admission at SCPS.**

**NOTE:** BE ADVISED THAT THIS IS THE INITIAL INTERVIEW SCREENING LIST. THE LIST OF POVISIONALLY ADMITTED STUDENTS SHALL BE FINALIZED AND DISPLAYED AFTER THE INTERVIEWS.