



INTERVIEW MERIT LIST
REGULAR SEATS

DOCTOR OF PHARMACY (SESSION: Jan 2025 – Dec 2029)

Regular Seats				
Merit #	Roll No.	F.Sc./A Levels (50%)	Entry Test (50%)	Aggregate Score
1	3010121	47.3	45.5	92.77
2	3010252	45.9	45.5	91.36
3	3010226	45.9	45.5	91.36
4	3010175	45.7	45.5	91.23
5	3010383	46.0	44.5	90.54
6	3010420	47.2	43.3	90.43
7	3010295	46.7	43.8	90.43
8	3010410	46.4	43.8	90.16
9	3910015	45.4	44.8	90.11
10	3010421	45.5	44.5	90.05
11	3010101	47.4	42.5	89.86
12	3010373	46.9	43.0	89.86
13	3010148	47.2	42.5	89.68
14	3010292	45.9	43.6	89.51
15	3010282	45.7	43.8	89.46
16	3910008	44.9	44.5	89.36
17	3910007	44.9	43.8	88.63
18	3010284	46.9	41.5	88.36
19	3010105	46.1	42.3	88.34
20	3010084	44.7	43.5	88.23
21	3010340	47.5	40.5	87.95
22	3010209	45.4	42.5	87.91

23	3010046	44.0	43.8	87.80
24	3010223	47.0	40.5	87.50
25	3010271	47.4	40.0	87.41
26	3010356	47.0	40.0	87.05
27	3010078	45.6	41.3	86.84
28	3010224	45.1	41.5	86.64
29	3010061	45.9	40.8	86.61
30	3010115	43.6	43.0	86.59
31	3010318	46.0	40.5	86.55
32	3010310	44.8	41.5	86.32
33	3010366	45.8	40.3	86.07
34	3010184	45.5	40.5	86.00
35	3010262	44.9	41.0	85.86
36	6010021	44.5	41.3	85.75
37	3010336	46.0	39.5	85.55
38	1003	44.9	40.5	85.41
39	3010389	45.5	39.8	85.30
40	3010384	45.0	40.3	85.30
41	3010231	45.2	40.0	85.23
42	3010408	44.7	40.5	85.23
43	3010179	44.7	40.5	85.18
44	3010039	46.2	39.0	85.18
45	3010237	44.8	40.0	84.77
46	3010047	43.9	40.5	84.36
47	3910017	42.7	41.5	84.21
48	3010326	44.2	40.0	84.18
49	3010087	46.6	37.5	84.14
50	3010113	45.1	39.0	84.14
51	6010002	43.1	41.0	84.09
52	3010099	43.5	40.5	83.95
53	3010394	47.3	36.5	83.77
54	3010436	45.9	37.8	83.61
55	3010125	42.9	40.7	83.58
56	3010428	46.0	37.5	83.55
57	3010298	42.8	40.5	83.27
58	3010413	45.0	38.3	83.25

59	3910018	44.2	39.0	83.23
60	3010199	44.8	38.3	83.07
61	3010031	43.8	39.3	83.07
62	3010319	43.9	38.8	82.66
63	3010051	42.6	40.0	82.64
64	3010372	46.6	36.0	82.59
65	3010024	47.0	35.3	82.20
66	3010345	45.9	36.3	82.16
67	3010180	43.5	38.5	82.00
68	3010166	44.0	38.0	82.00
69	3010249	45.1	36.8	81.84
70	3010357	44.6	37.3	81.84
71	3010165	45.9	35.8	81.66
72	3010335	45.0	36.5	81.55
73	6010026	43.0	38.5	81.55
74	3010088	43.0	38.5	81.45
75	3010392	43.9	37.3	81.25
76	3010069	44.8	36.3	81.07
77	3010385	45.0	36.0	81.05
78	3010323	44.0	37.0	81.05
79	3010243	41.3	39.8	81.02
80	3010111	42.0	38.5	80.50
81	6010012	44.0	36.5	80.50
82	3010212	43.2	37.3	80.43
83	3010396	42.9	37.5	80.41
84	3010025	45.3	35.0	80.32
85	3010205	41.3	39.0	80.29
86	3010158	40.5	39.8	80.29
87	3010126	43.7	36.5	80.23
88	3010281	44.5	35.8	80.20
89	3010244	43.0	37.0	80.05
90	3010076	43.2	36.8	79.93
91	3010266	43.7	36.3	79.93
92	3010285	43.9	36.0	79.91
93	3010317	45.2	34.5	79.73
94	3010041	44.7	35.0	79.73

95	3010185	42.5	37.0	79.54
96	3010193	43.0	36.5	79.50
97	3010225	46.2	33.3	79.48
98	3010030	44.5	35.0	79.45
99	3910002	43.4	36.0	79.42
100	3010007	42.9	36.5	79.42
101	3010254	42.4	37.0	79.41
102	3010402	44.4	35.0	79.36
103	6010018	42.2	37.0	79.18
104	3010388	43.0	36.0	79.05
105	3010264	42.0	37.0	79.05
106	3010108	44.0	35.0	79.00
107	3010028	40.5	38.5	79.00
108	3010150	41.6	37.0	78.64
109	3010070	42.9	35.8	78.61
110	3010432	42.1	36.5	78.59
111	3010124	43.3	35.3	78.57
112	3010027	42.2	36.3	78.43
113	3010016	45.4	33.0	78.41
114	3010258	43.1	35.3	78.39
115	3010362	43.4	35.0	78.36
116	3010102	43.8	34.5	78.32
117	3010109	38.7	39.5	78.17
118	3010251	43.6	34.5	78.13
119	3010260	42.6	35.5	78.09
120	3010181	41.3	36.8	78.08
121	3010238	42.6	35.3	77.88
122	6010023	42.0	35.8	77.79
123	3010159	44.2	33.5	77.73
124	3010032	43.5	34.3	77.70
125	3010404	41.7	36.0	77.68
126	3010235	35.4	42.0	77.42
127	3010438	40.2	37.0	77.23
128	3010332	39.5	37.8	77.21
129	3010395	43.4	33.7	77.03
130	3010219	41.8	35.3	77.02

131	3010294	43.9	33.0	76.86
132	3010327	39.1	37.7	76.80
133	3010058	42.7	34.0	76.68
134	3010353	42.7	33.7	76.39
135	3010375	36.3	40.0	76.32
136	3010120	42.5	33.8	76.25
137	3010270	45.3	30.8	76.07
138	3010176	42.8	33.3	76.07
139	3010236	44.0	32.0	76.00
140	3010261	41.2	34.5	75.73
141	3010288	39.9	35.8	75.63
142	3010276	43.5	32.0	75.45
143	3010155	43.3	32.0	75.27
144	3010431	42.3	33.0	75.27
145	3010186	42.0	33.3	75.21
146	3010174	41.0	34.3	75.20
147	3010072	43.5	31.8	75.20
148	3010291	41.5	33.8	75.20
149	3010131	39.5	35.5	75.05
150	3010203	43.0	32.0	75.05
151	3010201	40.5	34.5	75.00
152	3010272	42.6	32.3	74.89
153	3010137	42.9	32.0	74.86
154	3010154	38.4	36.5	74.86
155	6010024	42.5	32.3	74.80
156	3010043	42.8	32.0	74.75
157	3010423	41.7	33.0	74.73
158	3010250	41.4	33.3	74.70
159	3010347	43.4	31.3	74.66
160	3010304	42.4	32.3	74.61
161	3010313	42.1	32.5	74.59
162	3010286	41.6	33.0	74.59
163	3010358	41.5	33.0	74.55
164	3910019	40.9	33.5	74.38
165	3010079	44.4	30.0	74.36
166	3010222	42.1	32.0	74.14

167	3010134	43.6	30.5	74.09
168	3010068	43.6	30.5	74.09
169	3010229	42.8	31.3	74.07
170	3010014	42.8	31.0	73.82
171	3010096	44.2	29.5	73.68
172	3010215	39.7	34.0	73.67
173	3010191	44.4	29.3	73.66
174	3010333	41.6	32.0	73.59
175	3010221	42.2	31.3	73.43
176	3010415	42.4	31.0	73.42
177	3010419	38.9	34.5	73.41
178	3010018	42.3	31.0	73.32
179	3010303	42.7	30.5	73.23
180	3010040	42.1	31.0	73.14
181	3010192	40.8	32.3	73.07
182	3010067	39.5	33.3	72.79
183	3010075	38.4	34.3	72.66
184	3010146	41.6	31.0	72.58
185	3010217	38.5	34.0	72.54
186	3010141	42.4	30.0	72.38
187	3010035	40.4	32.0	72.36
188	3910013	39.6	32.8	72.33
189	3010365	42.2	30.0	72.18
190	3010050	41.7	30.5	72.18
191	3910001	47.1	25.0	72.14
192	3010418	41.1	31.0	72.09
193	3910010	40.5	31.5	71.95
194	3010401	35.2	36.8	71.93
195	3010283	42.8	29.0	71.82
196	3010006	40.8	31.0	71.82
197	3010274	41.8	30.0	71.77
198	6010011	43.7	28.0	71.73
199	3010017	40.1	31.5	71.64
200	3010182	41.5	30.0	71.50

Waiting List

Merit #	Roll No.	F.Sc./A Levels (50%)	Entry Test (50%)	Aggregate Score
201	3010269	42.9	28.5	71.36
202	3010161	40.4	31.0	71.36
203	3010169	35.7	35.5	71.18
204	3010080	38.9	32.3	71.11
205	6010016	45.0	26.0	71.04
206	3010414	32.0	39.0	71.00
207	3010386	40.9	30.0	70.92
208	3010361	42.2	28.5	70.73
209	3010020	42.7	28.0	70.68
210	3010170	42.6	28.0	70.64
211	6010003	44.1	26.5	70.59
212	3010257	36.3	34.3	70.58
213	3010065	42.8	27.7	70.48
214	3010055	40.5	30.0	70.45
215	3010143	40.4	30.0	70.41
216	3010279	43.4	27.0	70.36
217	3010240	40.9	29.5	70.36
218	3010352	42.6	27.7	70.30
219	3010117	41.8	28.5	70.27
220	3010338	40.2	30.0	70.23
221	3010152	41.6	28.5	70.14
222	3010312	39.3	30.5	69.82
223	3010424	43.3	26.5	69.77
224	3010370	43.4	26.0	69.38
225	3010001	40.9	28.5	69.36
226	3010416	39.5	29.8	69.25
227	3010297	39.5	29.7	69.21
228	3010228	31.4	37.7	69.03
229	3010363	41.0	28.0	69.00
230	3010287	42.5	26.5	69.00
231	3010177	38.0	31.0	68.95
232	3010377	37.6	31.3	68.83

233	3010296	42.5	26.3	68.80
234	3010301	38.8	30.0	68.77
235	3010241	40.5	28.0	68.55
236	3910011	39.5	29.0	68.50
237	3010157	41.0	27.5	68.45
238	3010275	41.0	27.5	68.45
239	3010429	39.9	28.5	68.41
240	3010059	39.3	29.0	68.33
241	3010004	40.2	28.0	68.23
242	3010038	38.7	29.5	68.18
243	3010322	40.6	27.5	68.13
244	3010325	46.0	22.0	68.00
245	3010320	40.3	27.7	67.98
246	3010153	37.7	30.0	67.73
247	3010232	34.9	32.8	67.66
248	3010089	45.6	22.0	67.64
249	3010334	38.0	29.5	67.45
250	3010183	40.8	26.7	67.44
251	3010140	39.9	27.5	67.42
252	3010331	42.4	25.0	67.41
253	3010359	36.4	31.0	67.36
254	3010379	38.9	28.5	67.36
255	3010245	39.3	28.0	67.27
256	3010300	38.1	29.0	67.14
257	3010118	36.8	30.3	67.07
258	3010360	42.3	24.8	67.04
259	3010207	37.4	29.7	67.03
260	3010341	38.5	28.5	67.00
261	3010005	40.6	26.3	66.92
262	6010017	41.7	25.0	66.73
263	3010368	43.2	23.5	66.73
264	3010098	39.6	27.0	66.59
265	3010248	36.1	30.5	66.58
266	3010259	40.8	25.8	66.57
267	3010412	33.3	33.3	66.50
268	3010381	36.4	30.0	66.42

269	3010083	40.9	25.5	66.41
270	3010002	45.4	21.0	66.41
271	6010028	40.3	26.0	66.29
272	3010391	37.5	28.7	66.21
273	3010036	39.2	27.0	66.18
274	3010112	37.1	29.0	66.14
275	3010407	38.0	28.0	65.95
276	3010210	37.8	27.8	65.52
277	3010094	39.3	26.3	65.50
278	3010397	35.0	30.5	65.46
279	3010190	43.4	22.0	65.36
280	3010164	38.9	26.5	65.36
281	3010314	36.4	29.0	65.36
282	3010247	39.8	25.5	65.29
283	6010019	38.0	27.3	65.25
284	3010160	40.0	25.3	65.25
285	3010197	42.6	22.5	65.14
286	3010188	37.7	27.3	64.98
287	3910006	35.0	30.0	64.96
288	3010198	39.0	26.0	64.95
289	3010337	40.5	24.5	64.95
290	3010406	30.1	34.5	64.63
291	3010081	35.0	29.5	64.50
292	3010204	41.5	23.0	64.50
293	3010194	39.0	25.5	64.50
294	3010409	43.4	21.0	64.41
295	3010277	40.4	24.0	64.41
296	3010074	41.1	23.3	64.39
297	3010435	38.3	26.0	64.32
298	3010054	36.7	27.5	64.23
299	3010026	39.7	24.5	64.21
300	3010086	35.6	28.5	64.13
301	3010354	38.9	25.3	64.11
302	3010307	41.0	23.0	64.05
303	3910009	33.0	31.0	64.00
304	3010230	38.5	25.5	64.00

305	3010010	42.2	21.5	63.73
306	3010302	37.8	25.8	63.58
307	3010034	35.5	27.8	63.29
308	3010136	38.8	24.5	63.27
309	3010127	36.2	27.0	63.23
310	3010255	39.1	24.0	63.09
311	3010289	41.6	21.5	63.09
312	3010057	40.5	22.5	63.05
313	3910021	37.5	25.5	62.96
314	3010064	35.5	27.5	62.95
315	3010173	36.5	26.2	62.70
316	3010085	43.2	19.5	62.67
317	3910003	37.0	25.5	62.55
318	3010122	34.2	28.3	62.52
319	3010196	39.0	23.5	62.50
320	3010234	41.0	21.5	62.45
321	3010311	38.5	24.0	62.45
322	3010290	32.5	30.0	62.45
323	1002	41.4	21.0	62.41
324	3010239	35.8	26.5	62.27
325	3010350	35.3	27.0	62.27
326	6010013	37.6	24.5	62.13
327	3010037	36.9	25.0	61.86
328	3010427	35.3	26.5	61.75
329	3010012	38.2	23.5	61.73
330	3010135	33.9	27.8	61.67
331	3010095	37.6	24.0	61.59
332	3010045	37.5	24.0	61.54
333	3010293	38.0	23.5	61.45
334	3010417	41.9	19.5	61.41
335	3010425	39.8	21.5	61.32
336	3010104	42.3	19.0	61.32
337	3010329	35.2	26.0	61.18
338	3010267	36.5	24.5	61.05
339	3010189	37.4	23.5	60.92
340	1004	35.9	25.0	60.91

341	3010324	38.2	22.5	60.68
342	3010168	33.1	27.5	60.64
343	3010130	38.6	22.0	60.63
344	6010022	40.5	20.0	60.55
345	3010280	38.0	22.5	60.55
346	3010144	37.5	23.0	60.50
347	1005	43.9	16.5	60.41
348	3010100	34.2	26.0	60.18
349	3010056	32.7	27.5	60.17
350	3010351	34.0	26.0	60.04
351	3010411	33.4	26.7	60.03
352	3010316	40.0	20.0	60.00
353	3010273	41.4	18.5	59.88
354	3010306	37.7	22.0	59.73
355	3010110	33.1	26.5	59.59
356	3010082	34.3	25.0	59.32
357	3010202	35.2	24.0	59.23
358	3010132	32.2	27.0	59.18
359	6010025	41.1	18.0	59.09
360	3010129	36.5	22.5	59.05
361	3010374	32.0	27.0	59.00
362	3010052	36.8	22.0	58.82
363	3010033	37.3	21.5	58.77
364	3010344	41.2	17.5	58.73
365	3010049	32.5	26.0	58.50
366	3010103	36.5	22.0	58.45
367	3010220	35.1	23.0	58.14
368	3010092	40.1	18.0	58.08
369	3010433	40.1	17.5	57.64
370	1007	36.6	21.0	57.64
371	3010128	33.5	24.0	57.50
372	3010299	38.8	18.5	57.33
373	3010013	36.8	20.5	57.29
374	3010214	34.7	22.5	57.23
375	3010008	40.1	17.0	57.13
376	3010380	37.5	19.5	56.96

377	3010371	34.8	22.0	56.82
378	3010060	34.5	22.0	56.55
379	3010114	35.5	21.0	56.55
380	3010387	38.5	18.0	56.54
381	3010009	32.0	24.5	56.50
382	3010015	37.5	19.0	56.46
383	3010106	36.9	19.5	56.36
384	3010400	35.0	21.3	56.30
385	3010218	32.1	24.0	56.08
386	3010091	36.0	20.0	56.00
387	3010253	38.8	17.0	55.75
388	3010063	37.7	18.0	55.73
389	3910016	32.2	23.5	55.71
390	3010339	33.1	22.5	55.63
391	3010330	36.5	19.0	55.50
392	3010151	35.9	19.5	55.42
393	3010268	33.4	22.0	55.41
394	3010021	33.3	22.0	55.27
395	6010029	39.3	15.5	54.83
396	3010200	33.7	21.0	54.73
397	3010437	36.7	18.0	54.71
398	3010265	35.6	19.0	54.59
399	3010305	37.5	17.0	54.45
400	3010029	37.4	17.0	54.36
401	3010145	31.8	22.5	54.27
402	3010390	32.2	22.0	54.21
403	6010015	42.2	12.0	54.17
404	3010172	31.0	23.0	54.00
405	1006	28.0	26.0	53.95
406	3010405	30.9	23.0	53.91
407	3010071	31.4	22.5	53.86
408	3010093	35.3	18.5	53.77
409	1001	35.2	18.5	53.73
410	3010123	35.2	18.5	53.67
411	3010022	38.6	15.0	53.63
412	3010346	37.6	16.0	53.59

413	3010364	30.8	22.5	53.32
414	3010308	30.1	23.0	53.09
415	3010187	35.0	18.0	53.00
416	3010369	33.3	19.5	52.77
417	3010077	27.5	25.0	52.50
418	3010042	33.4	18.5	51.86
419	3010367	37.2	14.3	51.46
420	3010213	32.4	18.5	50.91
421	3010376	30.2	20.5	50.73
422	3010053	34.2	16.3	50.43
423	3010246	35.4	15.0	50.36
424	3010097	31.1	19.0	50.09
425	3010403	31.0	19.0	50.00
426	3010328	26.9	23.0	49.91
427	3010398	33.3	16.5	49.77
428	6010027	38.2	11.5	49.68
429	3010116	30.4	19.0	49.36
430	3010430	32.4	16.5	48.91
431	3010393	31.9	17.0	48.86
432	3010147	32.0	15.5	47.55
433	3010156	33.5	14.0	47.50
434	3010178	30.5	16.5	47.00
435	3010142	30.6	16.0	46.64
436	3010242	30.5	16.0	46.45
437	6010006	35.6	10.0	45.63
438	3010422	22.7	22.3	44.98
439	3010011	28.0	13.5	41.55

GENERAL INSTRUCTIONS:

1. Interviews against regular seats shall be held on **Saturday 21st December, 2024** for Merit No. 1 to 200 **(GREEN COLOUR IN THE LIST ABOVE)**.
2. Reporting time for interviews is **8:00 am sharp** at **Shifa College of Pharmaceutical Sciences, 72-Jaffer Khan Jamali Road, Sector H-8/4, Islamabad.**
3. Bring all your **original academic documents** (for verification purposes only). This includes Matric/O levels, F.Sc/A levels, equivalence documents (if any), MDCAT / any other test result scores, domicile/Birth certificate etc.

4. A briefing for the purpose of **Interview sessions** shall be carried out to give general guidance for appearance in the interviews.
5. **Any discrepancy found in the data provided by the candidate against the original document shall result in ineligibility from securing admission at SCPS.**

NOTE: BE ADVISED THAT THIS IS THE *INITIAL INTERVIEW SCREENING LIST*. THE LIST OF *POVISIONALLY ADMITTED STUDENTS* SHALL BE FINALIZED AND DISPLAYED AFTER THE INTERVIEWS.